: 350 SKIDTUBE EXTRUSION (BENT) Customer : CU-DAR001 Dart Helicopters Job Number : 29327 **Estimate Number** : 10997 : **JIA** : 11/6/2006 : D26003BENT Part Number P.O. Number : D2600 REV D1 **Drawing Number** This Issue S.O. No. Prsht Rev. **Project Number** : N/A MA : D1 Type **Drawing Revision** First Issue : 26787 Material **Previous Run** : 11/20/2006 20 Um: Each **Due Date** Qty: Written By Checked & Approved By : Est. B02.1 Reformat Comment **Additional Product** Job Number Description: **Machine Or Operation:** Seq. #: D26003120 Extrusion Round 3" 350 1.0 Comment: Qty.: 20.0000 Each(s) 1.0000 Each(s)/Unit Total: Extrusion Bent Pick: Qty Part Number Description Batch 6-12-6 D2600-3 Extrusion 1 BENDING 2.0 Comment: BENDING MACHINE 06/12/6 Deburr one end of extrusion Drill #30 pilot holes using DT8689 Open holes to 5/16" and deburn Bend using CNC bending machine as per program 2750.C and Folio FT003. Use 5/16 locator pin on buggy "A". Check fit to Jig DT8150 INSPECT WORK TO CURRENT STEP Comment: INSPECT WORK TO CURRENT STEP Inspect work to Step 6Ensure fit to Jig DT8150 PACKAGING 1 PACKAGING RESOURCE #1 4.0 Comment: PACKAGING RESOURCE #1 06/10/13 Identify and Stock Location: LG

W/O:		WORK ORDER CHANGES											
DATE	STEP	PROCEDURE CHANGE By Date		PROCEDURE CHANGE By		PROCEDURE CHANGE By Date		PROCEDURE CHANGE		PROCEDURE CHANGE By Date		Approval Chief Eng / Prod Mgr	Approval QC Inspector
						,	30.5						
							1 %						
Part No	:	PAR #: Fault Category:	NCR: Yes	No DQ	\: <u></u>	<u> </u>	06/12/14						

QA: N/C Closed: ____ Date: ___

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B		Verification	Approval Chief Eng	Ι		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C		Approval QC Inspector		
						•				
				·				<u> </u> 		
			<u> </u>							

NOTE: Date & initial all entries

Date:

Monday, 11/6/2006 2:39:06 PM

User:

Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: 350 SKIDTUBE EXTRUSION (BENT)

Job Number: 29327

Part Number: D26003BENT

Job Number:



Seq. #:

Machine Or Operation:

Description:

5.0



FINAL INSPECTION/W/O RELEASE

Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES								
DATE	STEP	PR	OCEDURE CHANGE		By Dat	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
								i.		
Part No		PAR #:	Fault Category:	NCR:	Yes N	10 DQ	A:	_ Date: _		
					QA: N/	C Close	d:	_ Date: _		

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC	Corrective Action Section B			Varification	A	A		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector		
						<u> </u> 				
				7		,				
				4						
						÷		-		


NOTE: Date & initial all entries





			A Charles A Comment	to be a control of the control of th	
	DESIG	PA .	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
	CHECK	ED	APPROVED	DRAWING NO. REV	/. D
	X	E	1 XA	D2600 SHEET 1 0	F 5
	DATE	v, age - process		TITLE SC	ALE
*	98.0	8.20	St. 11.11.11.11.11.11.11.11.11.11.11.11.11	EXTRUSION	1:1
	Α		97.01.21	NEW ISSUE	
	В		97.09.09	CHANGE MATERIAL SPEC.	
	С		98.04.16	ADD D2600-3, UPDATE D2600-1 WID ADD DIE NO.	TH,
	D		98.08.20	INCREASE MIN. UTS TO 40 KSI	

ADD PART NUMBERS & DIE NUMBERS &



GENERAL NOTES

1. MATERIAL: 6061-T6 (QQ-A-200/8)

Di

MINIMUM YIELD TENSILE STRENGTH = 35 ksiMINIMUM ULTIMATE TENSILE STRENGTH = 40 ksiMINIMUM ELONGATION = 8 %

A SAMPLE FROM EACH BATCH WILL BE PULL TESTED TO ASTM STANDARD B221 BY AN APPROVED TESTING FACILITY TO ENSURE THAT THE BATCH MEETS THE ABOVE MINIMUM MECHANICAL PROPERTIES.

01.04.17

- 2. BREAK ALL SHARP CORNERS 0.010 MAX.
- 3. NO TOOLING MARKS.
- 4. TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- 5. ALL DIMENSIONS ARE IN INCHES.

SHOP COPY

RETURN TO

ENGINEERING

UNCONTROLLED COPY

SUBJECT TO AMENDMENT

WITHOUT NOTICE


WORK ORDER

(





DESIGN	DRAWN BY		AEROSPACE L (ESBURY, ONTARIO, CANADA	TD		
CHECKED	APPROVED	DRAWING NO. D2600	s	HEET	REV. 2 OF	_
DATE	7	TITLE			SCA	LE
98.08.20		EXTRUSION				1:1





98.08.20

EXTRUSION

D2600

SHEET 3 OF 5

SCALE

(TYP) 45° R1.505 R1.420 130° 2.810 3.150 R0.025 (TYP) 0.375 -

D2600-3

MANUFACTURED WITH CARADON INDALEX DIE # MH-18859 DIE # 897122 (PREFERED CHOICE)

PART MIMBER IS DZ600-3-XXX WHERE XXX IS CUT LENGTH IN INCHES (EG. DZ600-3-120 15 120"LONG

Copyright 1997 by DART AEROSPACE LTD

UNCONTROLLED COPY SUBJECT TO AMENDMENT

SHOP COPY RETURN TO ENGINEERING


WITHOUT NOTICE






Market Street

1	DESIGN	DRAWN BY		AEROSPACE LTE)	
7	CHECKED	APPROVEO	DRAWING NO.	OHE	REV.	
	DATE	19	TITLE	STILL	SCA	
	98.08.20		EXTRUSION			1:1





MANUFACTURED WITH CARADON INDALEX DIE # MS-18871 XXX IS CUT LENGTH IN INCHES Number 15 D2600-5-XXX WHERE D2600-5 IOS" LONE) PART

D2600-5-108 15

 \sqrt{a} SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY



98.08.20

EXTRUSION



02600

SHEET 5 OF 5 SCALE

R1.505 45° (TYP) R0.250 (TYP) 2.810 2.400 -0.080R0.025 (TYP) - 0*.*375

D2600-7

MANUFACTURED WITH CARADON INDALEX DIE # MS-18872 PART NUMBER IS D2600-7-XXX WHERE XXX IS CUT LENGTH IN INCHES (EG. D2600-7-125 15 125" LONG)



RETURN TO ENGINEERING SHOP COPY

SUBJECT TO AMENDMENT WITHOUT NOTICE UNCONTROLLED COPY